

<b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b>  (use as many sheets as necessary)			<b>Complete if Known</b>		
			Application Number	10/629,259	
			Filing Date	July 29, 2003	
			First Named Inventor	Craig Hamilton	
			Group Art Unit	3788	
			Examiner Name	Amanda L. Lauritzen	
Sheet	1	of	1	Attorney Docket Number	9151-26

U.S. PATENTS AND PATENT PUBLICATIONS					
Examiner Initials*	Cite No.	U.S. Patent Document		Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY
		Number	Kind Code (if known)		
aj	1.	5111820	128/653	Axel et al.	05-12-1992

FOREIGN PATENT DOCUMENTS							
Examiner Initials*	Cite No.	Foreign Patent Document			Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Translation
		Office	Number	Kind Code (if known)			

OTHER NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T
	2.	Rule 132 Declaration of Craig A. Hamilton of Pre-Patent Filing Activity, 2 sheets, executed December 21, 2006.	aj
	3.	<del>A patient consent form referenced in Document 2, 3 sheets (earlier than 7/29/2001).</del>	
aj	4.	Hundley et al. "Utility of Fast Cine Magnetic Resonance Imaging an display for the Detection of Myocardial Ischemia in patients Not Well Suited for Second Harmonic Stress Echocardiography" <i>Circulation</i> 100: 1697-1702 (1999). (Article referenced in Document 2)	
aj	5.	Hamilton et al. "Is Imaging at Intermediate Doses Necessary During Dobutamine Stress Magnetic Resonance Imaging?" <i>Journal of Cardiovascular Magnetic Resonance</i> 3(4): 297-302 (2001). (Article referenced in Document 2)	
aj	6.	International Search Report dated January 23, 2004 for related PCT application no. PCT/US03/23526.	
aj	7.	SECHTEM ET AL., "Quantification of Cardiac Function by Conventional and Cine Magnetic Resonance Imaging", <i>CardioVascular and Interventional Radiology</i> , (1987) 10:365-373.	
aj	8.	American Heart Association (AHA) 1999 - Poster Presentation with Abstract, 2 sheets.	
aj	9.	Hamilton et al. "Near-real-time Cardiac Cine-MR Monitoring during High-dose Pharmacologic Stress Testing", <i>Radiology</i> (suppl) 1998; 209(P):229.	
aj	10.	Hamilton et al. "Near-real-time Cine-MR Monitoring in High-dose Dobutamine Cardiac Stress Testing" RSNA PowerPoint Presentation, 20 pages (1998).	
	11.	Rule 132 Declaration of Craig A. Hamilton executed March 5, 2007.	

2,3,11  
not  
proper  
for IDS

Examiner Signature	<i>A. Lauritzen</i>	Date Considered	5/29/2007
--------------------	---------------------	-----------------	-----------

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.